

Enfamil ProSobee[®] Powder Infant Formula

Yields about 1 Quart

NOTE: Powdered products are not commercially sterile and should not be used for immunocompromised patients, unless clinically required, and then under strict medical supervision of preparation and use.

| Calories Desired Cal/fl oz | Amount of Powder, grams Approximate Household Measures* | Amount of Water Fluid Ounces |
|--------------------------------------|---|--|
| 20 | 126 g (1 ¼ cups) | 28.5 |
| 22 | 138 g (1 1/3 cups +2 tsp) | 28.5 |
| 24 | 151 g (1 ½ cups) | 28 |
| 26 | 164 g (1-1/2 cups+2 Tbsp) | 27.5 |
| 27 | 170 g (1 2/3 cups+1 tsp) | 27.5 |
| 28 | 176 g (1-3/4 cups) | 27.5 |
| 30 | 189 g (1-3/4 cups + 2 Tbsp) | 27 |

*Household measures of Enfamil ProSobee[®] should be unpacked, level standard measures.

Weighing powder product provides the most accurate final preparation. Approximate household measurements are provided as a convenience when a precise dilution is not required.

Each cup of powder provides approximately 510 Calories.

One-half fluid ounce of water can be measured using one tablespoon (1 Tbsp water=1/2 fl oz water).